



Wildlife Food Plot Planting Guide For the Southeast



Crop	Forage Class ^A	Varieties	Planting Dates	Planting Rate (lbs./acre) ^B			Wildlife
				Drill	Broadcast	Inoculant ^C	
Alyceclover	L/A		May 1 – June 15	15	20	EL	Deer
Aeschynomene (American Jointvetch, Deervetch)	L/A	Lee, Glenn	March 15 – June 15	15	20	EL	Deer-Dove-Quail
Alfalfa	L/P	Alfagraze, Amerigraze 401 & 702, Ameristand, Bulldog 505	Sept. 1 – Oct. 15	15	20	A	Deer-Quail-Turkey-Rabbit
Austrian Winter Peas	L/A	Granger, Fenn, Melrose	Sept. 1 – Nov. 1	30	40	C	Deer-Turkey
Benne or Sesame	F/A	(90- to 120-day maturity)	April 1 – June 30	5	10		Dove-Quail
Birdsfoot Trefoil	L/P	AU Dewey, Fergus (best in a mix with grasses or other legumes)	Sept. 1 – Oct. 15	6	10	K	Deer-Quail-Turkey-Rabbit
Brassicas	F/A	Available varieties of Rape, Kale, Turnip, Canola	Sept. 1 – Oct. 15	5	10		Deer-Rabbit-Turkey
Buckwheat	F/A	Japanese, Silverhull, CommonGray, Mancan, Manor, Royal, Tokyo	May 1 – June 1	40	60		Deer-Dove-Duck-Quail-Turkey
Burnett, Small	F/P	Delar	March 1 – May 1	5	10		Deer-Quail
Chicory	F/P	Choice, Puna, Puna II, Brow Tyne, Six Point, Oasis	Sept. 1 – Oct. 15	2	4		Deer-Rabbit-Turkey
Chufa	G/A	Turkey Gold, Wingmaster	April 1 – June 1	25	40		Deer-Turkey-Duck
Clover, Arrowleaf	L/A	Meeche, Yuchi, Amclo, Apache	Sept. 1 – Oct. 15	10	15	O	Deer-Turkey-Rabbit
Clover, Ball	L/A		Sept. 1 – Oct. 15	2	3	B	Deer-Turkey
Clover, Berseem	L/A	Bigbee, Tibbee	Sept. 1 – Oct. 1	10	20	R	Deer-Turkey
Clover, Crimson	L/A	Chief, Autauga, Dixie, Tibbee, Auburn, Talladega	Sept. 1 – Oct. 15	20	30	R	Deer-Turkey-Rabbit
Clover, Ladino (White) ^D	L/P	Osceola, Regal, Louisiana-S1, Patriot, Durana, Regalgraze	Sept. 1 – Oct. 15	4	5	B	Deer-Quail-Turkey-Rabbit
Clover, Red	L/P	Kenland, Redland Max, Redland Graze, Redland III, Bulldog, Kenstar	Sept. 1 – Oct. 15	8	12	B	Deer-Quail-Turkey-Rabbit
Clover, Subterranean	L/A	Woogenellup, Mt. Barker, Daliak, Clare, Nuba, Nungarin	Aug. 15 – Oct. 15	15	20	WR	Deer-Quail-Turkey-Rabbit
Corn ^E	G/A	Commercial varieties Dwarf Tropical	March 15 – June 1	12	15		Deer-Dove-Duck-Quail-Turkey
Cowpeas	L/A	Iron Clay, Red Ripper, Combine	May 1 – July 1	15	45	EL	Deer-Quail-Turkey
Egyptian Wheat	G/A		April 1 – June 1	5	15		Dove-Quail-Turkey
Grain Sorghum ^E	G/A	Kafir, Hegair, Dwarf Milo, Commercial varieties (90-to 115-day maturity, depending on variety)	April 15 – June 15	10	15		Dove-Duck-Quail-Turkey
Lab Lab	L/A	Rongai, Highworth, Rio Verde	April 1 – June 1	5	10	EL	Deer-Rabbit
Lespedeza, Annual	L/A	Common, Kobe, Korean	March 1 – April 1	20	30	EL	Quail-Turkey
Lespedeza, Shrub ^F	L/P	Amquail Thunbergii, Attaway, Bicolor 101	March 1 – April 1	6	12	EL	Quail
Millet, Browntop	G/A	Commercial varieties (60- to 65-day maturity)	May 1 – August 1	15	25		Dove-Duck-Quail-Turkey
Millet, Proso	G/A	Dove Proso, White Proso (75-day maturity)	May 1 – June 30	15	30		Dove-Duck-Quail-Turkey
Millet, Foxtail	G/A	Common, German, Hungarian (90-day maturity)	May 1 – July 1	15	25		Dove-Quail-Turkey
Millet, Japanese	G/A	Common, Chiwapa, Golden Millet (80- to 120-day maturity, depending on variety)	May 1 – August 1	12	25		Dove-Duck-Quail-Turkey
Oats	G/A	Arkansas 604 & 833, Buck Forage, Buck Magnet Chapman, Coker, Dallas, Florida 501, Harrison Horizon 314, Rogers, TAM 606	Aug. 15 – Oct. 15	90	120		Deer-Dove-Quail-Turkey-Rabbit
Partridge Peas	L/A	Lark Selection, Showy, Commanche	Feb. 1 – May 1	6	10	EL	Quail
Rye	G/A	Elbon, Wrens Abruzzi, Wondergraze, Vitagraze Wintergrazer 70, Maton, Bates	Aug. 15 – Oct. 15	90	120		Deer-Dove-Quail-Turkey
Ryegrass ^G	G/A	Commercial varieties, Gulf, Tetraploid, Marshall Passerel Plus	Sept. 1 – Nov. 1	20	30		Deer-Quail-Turkey-Rabbit
Soybeans ^E	L/A	Commercial varieties, Tyrone, Hutchinson	April 15 – June 1	30	60	S	Deer-Dove-Duck-Quail-Turkey
Soybeans, Wildlife	L/A	Quail Haven, Laredo	April 15 – June 15	10	25	S	Deer-Quail-Turkey-Rabbit
Sunflower ^E	F/A	Commercial Black Oil Hybrids, Peredovick (120-day maturity)	April 1 – May 15	4	15		Dove
Triticale	G/A	Tamcale 5019, Beagle 82, Trical 102 & 336	Aug. 15 – Oct. 15	90	120		Deer-Turkey
Vetch	L/A	Bigflower; Hairy-Madison, Auburn, Americus, Oregon, Lana; Common-AU Olympic, Willamette	Sept. 1 – Oct. 15	20	30	C	Deer-Dove-Quail-Turkey-Rabbit
Wheat	G/A	Commercial forage varieties, Longhorn, Lockett, GA Gore, Saluda	Aug. 15 – Oct. 15	90	120		Deer-Dove-Quail-Turkey-Rabbit

The information given here is for educational purposes only. References to commercial products or trade names are made with the understanding that no discrimination is intended against other products that may also be suitable.

^A Forage classes: A = Annual; F = Forb; G = Grass; L = Legume; P = Perennial

^B All of the above planting rates assume a complete stand for each species. If you plan to mix species, reduce planting rates (such as when broadcasting a 50/50 mixture of wheat and oats, use 60 lbs of each for a total of 120 lbs)

^C Purchase either preinoculated legume seed or inoculate with the appropriate inoculant before planting.

^D This seeding rate is based on preinoculated seed coated with clay/lime. Use 2 (drill) or 3 (broadcast) pounds of uncoated seed.

^E Broadcasting seed is not recommended for these plantings. Drilling seed in rows improves forage and seed production.

^F Potentially invasive non-native species; may require mechanical and herbicidal control in some situations.

^G Potentially invasive non-native species; may require mechanical and herbicidal control in some situations. Most appropriate for shady, acidic, or wet sites where other forages perform poorly.

Discrimination based upon race, color, religion, sex, national origin, age, disability, or veteran's status is a violation of federal and state law and MSU policy and will not be tolerated. Discrimination based upon sexual orientation or group affiliation is a violation of MSU policy and will not be tolerated.

By Dr. Bronson Strickland, Assistant Extension Professor, Wildlife & Fisheries; Richard Taylor, Mississippi Seedsmen's Association; Kevin Nelms, USDA Natural Resources Conservation Service; and John Gruchy, Mississippi Department of Wildlife, Fisheries & Parks.